



PyroNam

Submitted to: **Wronin Business Trust**
Attention: Martin Horenburg
Farm Wronin 1013
Omaheke Region
Namibia

REPORT:

FARM MANAGEMENT PLAN FOR THE BUSH THINNING ACTIVITIES AND BIOCHAR PRODUCTION ON FARM WRONIN 1013

PROJECT NUMBER: ECC-137-426-REP-01-D

REPORT VERSION: REV 01

DATE: 24 JULY 2023

Prepared by:



TITLE AND APPROVAL PAGE

Project Name: Farm management plan for the bush thinning activities and
biochar production on Farm Wronin 1013

Client Company Name: Wronin Business Trust

Client Name: Martin Horenburg

Ministry Reference: APP-001623

Authors: Emanuele Augello, Kelly Ochs and Stephan Bezuidenhout

Status of Report: Final for Government submission

Project Number: ECC-137-426-REP-01-D

Date of issue: 24 July 2023

Review Period: NA

ENVIRONMENTAL COMPLIANCE CONSULTANCY CONTACT DETAILS:

We welcome any enquiries regarding this document and its content. Please contact:



Environmental Compliance Consultancy (Pty) Ltd

PO Box 91193, Klein Windhoek, Namibia

Tel: +264 81 669 7608

Email: info@eccenvironmental.com

DISCLAIMER

The report has been prepared by Environmental Compliance Consultancy Pty Ltd (ECC) (Reg. No. 2022/0593) on behalf of the Proponent. Authored by ECC employees with no material interest in the report's outcome, ECC maintains independence from the Proponent and has no financial interest in the Project apart from fair remuneration for professional fees. Payment of fees is not contingent on the report's results or any government decision. ECC members or employees are not, and do not intend to be, employed by the Proponent, nor do they hold any shareholding in the Project. Personal views expressed by the writer may not reflect ECC or its client's views. The environmental report's information is based on the best available data and professional judgment at the time of writing. However, please note that environmental conditions can change rapidly, and the accuracy, completeness, or currency of the information cannot be guaranteed.

TABLE OF CONTENTS

1	Introduction.....	6
1.1	Background.....	6
1.2	Need and Motivation for the Project.....	6
1.3	Introduction on the Environmental Impact Assessment (EIA) Process	7
1.4	EIA Framework.....	8
1.5	Terms of Reference.....	8
2	Project Information.....	10
2.1	The Farm.....	11
2.2	Description of the Proposed Bush-Thinning Project.....	13
2.3	Biomass Quantification	14
2.4	Biomass Processing	15
3	Legal Framework.....	16
3.1	Relevant Legislation Applicable.....	16
4	Impact Assessment (Potential Impacts and Mitigation Measures).....	17
4.1	Negative Impacts of Bush Encroachment.....	17
4.2	Positive Impacts of Bush Thinning.....	17
4.3	negative impacts of Bush Thinning	18
5	Generic Environmental Management Plan (GEMP).....	19
6	Monitoring.....	20
7	Public Participation Process (PPP).....	22
8	Conclusion and Recommendations.....	23
8.1	Conclusion.....	23
8.2	Recommendations.....	23
9	References.....	24

LIST OF TABLES

Table 1 - Harvest years and associated biomass and biochar availability	15
Table 2 - Legal requirements to obtain a permit as per MEFT	16
Table 3 - Details of Neighbouring farms	22

LIST OF FIGURES

Figure 1 - Flowchart of the bush thinning activities EIA process (GIZ, 2017)	9
Figure 2 - Location of Farm Wronin 1013 in Namibia.....	10
Figure 3 - Farm Wronin 1013 neighbouring farms. Source: ECC	11
Figure 4 - Farm Wronin 1013 average rainfall and temperatures (meteoblue, 2023).....	12
Figure 5 - Average wind speed and direction (meteoblue, 2023)	13

APPENDICES

Appendix A - Project specific information.....	25
Appendix B - Negative impacts of bush thinning and mitigation measures to be applied	26
Appendix C - Generic Environmental Management Plan (GEMP).....	29
Appendix D - FSC Monitoring requirements.....	43
Appendix E - Acknowledgement letters.....	46

ABBREVIATIONS

Abbreviation	Description
%	percentage
°C	degree celcius
BID	background information document
cm	centirmetre
CO2	carbon dioxide
DAS	de-bushing advisory service
DEA	Directorate of Environmental Affairs
DoF	Department of Forestry
EAP	environmental assessment practitioner
ECC	Environmental Compliance Consultancy
ECC	environmental clearance certificate
EIA	environmental impact assessment
EMA	Environmental Management Act
EMP	environmental management plan
ESIA	environmental and social impact assessment
FSC	Forest Stewardship Council
GEMP	generic environmental management plan
ha	hectares
IGI	international generic indicators
km	kilometres
MEFT	Ministry of Environment, Forestry and Tourism
mm	millimetre
NCA	Namibia Charcoal Association
No	Number
PPP	public participation process
RH	relative humidity
RoD	record of decision
TE	"tree equivalentents"

1 INTRODUCTION

1.1 BACKGROUND

Bush encroachment refers to the proliferation of native and non-native woody plants in grasslands and savannas, leading to a reduction in biodiversity and productivity. Namibia is particularly affected by this phenomenon, with an estimated 45 million hectares of land affected (SAIEA, 2015). This is due to a combination of factors, including overgrazing, climate change, and fire suppression. The impacts of bush encroachment are significant, including reduced water availability, increased carbon emissions, and reduced economic opportunities. Various efforts are underway to address the issue, including the use of prescribed burning, mechanical removal, and the promotion of sustainable land management practices.

Invasive bush is currently present on Farm Wronin 1013, and urgent measures are needed to restore the rangeland productivity on its property. Mr. Martin Horenburg, owner of the farm, proposes bush control activities, using manual or semi-automatic mechanical harvesting techniques (such as chainsaws).

Consistent with the Environmental Management Act, No. 7 of 2007 and its associated 2012 regulations, an environmental clearance certificate application will be submitted to the competent authority the Ministry of Environment, Forestry and Tourism (MEFT) to make a Record of Decision (RoD) with regards to the proposed Project.

1.2 NEED AND MOTIVATION FOR THE PROJECT

Covering an estimated 45 million hectares of the entire surface area of Namibia, bush encroachment is a major reason for the lowering productivity of rangelands in the country. Opportunistic indigenous bush and shrub species multiplied in abundance on farmland over the last six decades and suppressed the growth of grass and other palatable species markedly, initiating thickets and impenetrable stands, causing an overall reduction in biodiversity, a decreasing carrying capacity and a noticeable change in the water cycle.

If extensive thinning of invasive shrubs is implemented, the agricultural sector can increase economic output. When encroacher bush has become so dense that grazing resources are seriously reduced, then the bush without active intervention, there is no way to reverse the problem. Active intervention is needed to reverse the problem of encroaching bush where it becomes so dense that grazing resources are seriously reduced. This will reinstate the rangeland's natural carrying capacity, improve biodiversity and restore the groundwater's natural recharging potential. The usual way for farmers to control the bush on their land is by thinning or defoliating it. However, to avoid a worse problem in the future it is necessary to carry out this practice with an effective veld management approach.

Implementing post-thinning management plans will be also needed in order to keep the area open, and to avoid potential regrowth complications. Moreover, it is essential that such activities are not deemed more important than environmental considerations when considering the harvesting of wood.

1.3 INTRODUCTION ON THE ENVIRONMENTAL IMPACT ASSESSMENT (EIA) PROCESS

environmental impact assessment (EIA) is a process that is used to identify, predict, evaluate and communicate the potential environmental impacts of a proposed development project. In Namibia, EIA is governed by the Environmental Management Act (No. 7 of 2007) and the Environmental Impact Assessment Regulations (2012).

The EIA process in Namibia is a systematic and transparent process that involves a number of steps. These steps include:

- **Scoping:** This is the process of identifying the potential environmental impacts of a proposed project and determining the scope of the EIA study.
- **Baseline studies:** This involves collecting information about the existing environmental conditions in the project area, including information about the air, water, soil, flora and fauna.
- **Impact Assessment:** This involves identifying and assessing the potential environmental impacts of the proposed project, including both positive and negative impacts.
- **Mitigation Measures:** This involves identifying measures that can be taken to reduce or avoid the negative impacts of the proposed project.
- **Public Participation:** This involves giving members of the public an opportunity to comment on the proposed project and the EIA report.
- **Decision-Making:** This involves reviewing the EIA report and making a decision about whether or not to approve the proposed project. The decision is based on the potential environmental impacts of the project, the effectiveness of the proposed mitigation measures, and the comments received from the public.
- **Compliance Monitoring:** This involves monitoring the implementation of the proposed mitigation measures to ensure that the potential environmental impacts are minimised or avoided.

In Namibia, EIA is mandatory for certain types of projects, including mining, agriculture, forestry, fisheries, energy, transportation, and water resource development. The EIA process is designed to ensure that development projects are carried out in an environmentally sustainable manner, with due consideration given to the potential environmental impacts of the project.

1.4 EIA FRAMEWORK

In 2017 MEFT released a publication to streamline and simplify the legal process authorising people to combat bush encroachment in Namibia. This is based on the *Strategic environmental assessment of large-scale bush thinning and value-addition activities in Namibia* (SAIEA, 2015) which distinguishes three categories of thresholds for the environmental impact assessment (EIA) process on bush control activities.

Accordingly:

- No environmental clearance is required for areas smaller than 150 hectares where bush control activities are being conducted;
- A generic environmental management plan (GEMP) is required for an area larger than 150 hectares, but smaller than 5,000 hectares where bush control activities are being conducted; and
- A full EIA and environmental management plan (EMP) are required for an area larger than 5,000 hectares where bush control activities are being conducted.

Farm Wronin 1013 is subdivided into two distinct areas, which sizes are 6,362.3 ha and 2,450.5 ha, that touch each other on a vertex (Figure 2). The total area covered by the farm is 8,812 ha and bush control activities are expected to stay within an area of 5,800 ha. However, such total area is subdivided into smaller camps, with sizes from 34.6 ha to 641 ha and an average size of 251.27 ha. Rotational planning of selected camps will be performed, only manual and semi-mechanised harvesting practices will be used, therefore the impact of bush control measures is expected to be of low intensity. According to this, the farm will then be classified as a medium-sized bush harvesting operation (150 – 5,000 hectares), which thus requires a GEMP in order to be granted an environmental clearance certificate.

The purpose of an environmental management plan (EMP) is to fulfil the legal obligations outlined in Section 8 (j) of the Environmental Management Act, No. 7 of 2007. The EMP provides details on the environmental impacts that have been identified, as well as the measures that will be taken to manage, mitigate, protect, or remediate these impacts resulting from the proposed operations. The EMP is subject to modification as additional information becomes available.

Public participation process (PPP) allows interested parties and the public to be involved in the impact assessment since it constitutes an important source of information for decision-making.

1.5 TERMS OF REFERENCE

The assessment will focus on the environmental receptors that could be affected by the proposed Project. ECC will also engage neighbouring farmers and the Proponents to seek input into the assessment. The baseline studies chapter is broken into three sections, the baseline context, environmental (physical and biological), and social (including economic).

Desktop studies, industry best practice standards as well as monitoring data from the Project area will be used to help define the baseline. These studies also give a further indication of whether any local or regional future developments could impact the Project or vice versa.

Lastly, the socio-economic section of the baseline studies helps to gain information on the governance, demographic profile, social stratification (employment, education, infectious disease), occupation and livelihood (economic activities, employment rates) and access to services. Below, Figure 1 provides the EIA process applied to bush thinning activities on a portion of land.




Figure 1 - Flowchart of the bush thinning activities EIA process (GIZ, 2017)

2 PROJECT INFORMATION




Figure 2 - Location of Farm Wronin 1013 in Namibia

2.1 THE FARM

As shown in Figure 2, Farm Wronin 1013, is situated in Omaheke Region, about 127 km from Gobabis along the C30 in a north-westerly direction. Mr Martin Horenburg is the owner who is managing the farm as a game farm with livestock, with cattle fences. Neighbouring farms, namely Wilhelmshore, Gemsbokvlei, Lausitz, Otjarua, Okatjondjiva, Otjarua, Okanjesuand Steinhausen, have been informed about the intention of bush-thinning activities for farm Wronin 1013 (Figure 3).




Figure 3 – Farm Wronin 1013 neighbouring farms. Source: ECC

The farm has been subdivided into 17 camps plots with different land use. From these camps Wildlife Protection Areas of 961.66 ha has been identified and three excluded areas, one as a secondary road (C29 that crosses the farm), one field dedicated to crop production and another field dedicated to dryland production, comprising of 173.2 ha in total. All these areas are excluded from the total hectares of the farm that will be committed to bush control (subject to amendments in respect of future planning).

As shown in Figure 4, the area where farm Wronin No. 1013 is located has a climate that is characterised by warm summers and cold winters with mean maximum temperatures ranging between 22 °C and 31 °C and mean minimum temperatures ranging between 2 °C to 18 °C. The hottest months of the year are between September and January and the coolest months are in June, July and August (Bubenzer, 2002 & meteoblue, 2023).




Figure 4 – Farm Wronin 1013 average rainfall and temperatures (meteoblue, 2023)

The most humid months have a relative humidity (RH), of approximately 70% RH, and the driest month of approximately 10% RH. The average rainfall in this area during the year is between 350 to 400 mm and rainfall events are limited to the summer months, mainly between November and March. Potential evaporation is between 2800 and 3000 mm per year (Bubenzer, 2002).

This area has wind speeds between 0 and 38 km/h, where the months of August to October are known to have the strongest winds. Wind can occur any time of the day and the most predominant wind directions for this area are N, NNE, NE and ENE (Figure 5) (meteoblue, 2023).




Figure 5 – Average wind speed and direction (meteoblue, 2023)

The plant diversity (100 to 150 species) for this area is low and the dominant vegetation structure on farm Wronin No. 1013 is a Shrubland-Woodland mosaic and falls within the Savanna biome (Mendelsohn et al. 2002). The productivity of the farm is compromised by infestations of encroacher bush such as Kalahari Acacia (*Vachellia luederitzii*), Candle-pod acacia (*Vachellia hebeclada*), Blackthorn (*Senegalia mellifera* Subsp. *dentinens*) and Silver cluster-leaf (*Terminalia sericea*).

Since 2015, bush control activities have been practiced on the farm. However, due to the increased encroachment on farm Wronin No. 1013, the owner believes that bush control activities are necessary to restore rangeland productivity. The proposed operations include manual harvesting techniques that will thin out the encroached rangeland, allowing for a diverse and productive rangeland. The harvested forest products will be utilised for biochar production using PyroNam's retort plant, which is situated on the farm. The feasibility of using harvested wood for biochar production will be evaluated based on its economic viability.

Biochar is a product of wood combustion under specific thermal conditions that result in an extremely porous material which is suitable to be mixed with the soil, potentially increasing its productivity and enhancing carbon sequestration, as well as a food supplement for livestock, augmenting its agricultural production (Bolan et al., 2022).

A very labour-intensive method of eradicating bush is manual cutting with axes and chainsaws as an early approach to eradication, which can be considered more commonly used by farmers than aftercare measures. This will not only improve agricultural productivity but also have a social benefit in terms of combating crime, raising income and solving food security problems. In addition, biochar production represents a significant potential for promoting diversified sources of income for farmers. The possibility of developing state-of-the-art bush harvesting and biochar processing services is also available.

2.2 DESCRIPTION OF THE PROPOSED BUSH-THINNING PROJECT

At present the project is planned for a duration of 5 years with chances to be prolonged in respect of new developments.

On February 3rd, 2023, ECC staff conducted a site visit at farm Wronin 1013 and performed three tree equivalent (TE) counts on targeted species. TE is a conventional unit of measurement used in forestry to estimate timber volume or biomass per unit area. A 1.5 m tall tree is considered 1 TE, whereas a 3 m tall tree is 2 TEs, and a 0.75 m bush is 0.5 TEs. Trees with a base diameter greater than 18 cm will not be harvested, as per GIZ (2017) guidelines. The three pre-harvest TE counts were conducted along 2.5 m x 50 m linear transects (125 m²) facing North and chosen as representative of the overall bush encroachment problem. Post-harvest TE counts will be

conducted at the same pre-harvest sites to assess the effectiveness of the bush thinning procedures and evaluate the regrowth of coppice and saplings for aftercare activities.

Proposed bush control activities on Farm Wronin 1013, entail manual and semi-mechanised harvesting methods. Subject to feasibility, the harvested wood will be used for biochar production. The following components will form part of the proposed project:

Manual Bush Control: The use of heavy machinery to remove vegetation is a relatively quick and effective way for combating bush expansion, but it will result in soil erosion and land degradation. Manual and semi-automatic harvesting methods are preferred for small-scale operations, where cost and time are less important. It is labour-intensive and time-consuming but, if well-supervised, a highly effective method of control. Hand tools such as axes, bush picks, handsaws, pangas as well as chainsaws are used to take out individual bushes. The method is highly selective, making it ecologically sustainable. However, if not well supervised and if harvesters are not well trained, there is a risk that non-target plants may be removed.

Training of Workers: Workers need to be sufficiently trained in order to ensure that the removal of plants is in line with forestry regulations and health and safety guidelines. In order to reduce the incidence of re-growth, stumps should either be chemically treated or should be felled below the soil. Some species are likely to coppice if felled, hence aftercare is required.

Products of harvested wood: Income-generating activities such as the production of woodchips, firewood, droppers, charcoal and, more recently, biochar, turn the negative consequences of combating bush encroachment into economically viable results and create additional employment, while at the same time rehabilitating degraded ecosystems.

Biochar is a relatively new product in Namibia and it can be used to improve carbon sequestration, soil nutrient retainer as well as animal fodder (Bolan et al., 2022). Local, regional and international markets are not yet fully established, making its production one of the main potential developing markets in the medium term. It is of utmost importance that stakeholders at all levels, establish and develop a network to access such markets, aiming to be environmentally, socially and economically sustainable.

Project specific information about the ongoing proposed bush thinning project can be retrieved in Appendix A.

2.3 BIOMASS QUANTIFICATION

The total size of farm Wronin 1013 corresponds to 8,812.80 ha, of which 10% must be earmarked as a Wildlife Protection Area. To achieve this, the areas covered by several pans (98,65 ha) present within the perimeter of the farm was added as well as four camps (784,7 ha) for a total size of 883,35 ha. Some areas, which cover 173,2 ha, are excluded due to the passage of a road and crop and dryland production. What remains (7,756.25 ha) consists of rangeland covered by encroaching species, such as *S. mellifera*.

To calculate the biomass availability, 70% of standing biomass for targeted species was used to represent the dry mass (DM) biomass and then applied a biomass-to-biochar conversion rate of 30% to determine the allowable use of biochar.

Table 1 below shows harvest periods and associated biomass/biochar availability in tons per year. We (ECC) recommend a sustainable use of 65% of the allowable use, which acts as a safety margin to avoid overharvesting/excessive harvesting. However, this figure is subject to change once harvesting begins.

Based on the 7756.25 ha production area on farm Wronin 1013:

Allowable use for the farm management unit (FMU), based on dry mass (tons biochar): 26778.20

Recommended sustainable use for the FMU (Tons biochar): 17405.83

Table 1 - Harvest years and associated biomass and biochar availability

Years of harvest	Biomass available (t/yr)	Biochar available (t/yr)
5	11603.89	3481.17
10	5801.94	1740.58
15	3867.96	1160.39
20	2900.97	870.29

2.4 BIOMASS PROCESSING

Since 2018, MEFT is engaged in creating a dedicated legislature on Biochar, therefore, producers do still comply with regulations for normal charcoal production. Guidance for charcoal production is provided through the Namibia Charcoal Association (NCA) as well as widely available publications (e.g. *Good Practices for Namibian Charcoal* by the NCA and *Financing Bush Control* and the *Bush Control Manual* by the De-bushing Advisory Services Namibia), and charcoal producers need to comply with specific legislation contained in the Forestry Act, No. 12 of 2001 as amended by the Forest Amendment Act, No. 13 of 2005 and its regulations.

In the past, harvested wood by the Proponent was used as rangeland droppers for fencing and charcoal production. Charcoal is produced by heating organic biomass in the absence of oxygen, similarly to biochar. The Proponent proposes harvested biomass to be used for biochar production.

3 LEGAL FRAMEWORK

The Environmental Management Act shall apply to all wood harvesting activities in an area of more than 150 hectares per annum. This act is administered by the Environmental Commissioner in the Department of Environmental Affairs (DEA) in the Ministry of Environment, Forestry and Tourism (MEFT).

3.1 RELEVANT LEGISLATION APPLICABLE

The Directorate of Environmental Affairs (DEA) shall pursue the principles of environmental management as an entity responsible for managing and protecting its natural resources. The holder of an ECC shall support sound environmental management as defined in the Constitution, through the implementation of mitigation measures provided for in this scoping report and its accompanying environmental management plan.

Sustainable use of grassland, as well as the fight against bush invasion in order to restore and revive livestock productivity are key issues within the policy framework of Namibia. Integrated approaches to development activities are encouraged by sustainable development.

Table 2 indicates the relevant requirements to obtain a permit as per MEFT ordinance.

Table 2 - Legal requirements to obtain a permit as per MEFT

National regulatory regime	Applicability to the project
The Environmental Management Act, No 7 of 2007	This farm is classified as a medium-sized bush harvesting operation (150 – 5,000 hectares), which thus requires a GEMP in order to be granted an environmental clearance certificate (section 4, Forestry Activities).
The Forestry Act, No. 12 of 2001 as amended by the Forest Amendment Act, No. 13 of 2005 - Harvesting permit	The proposed project will require a harvesting permit DoF for the cutting (harvesting) of encroacher tree species.
Transport permit	The proposed project may require a transport permit DoF for the transportation of biomass, produced by encroacher tree species.
Export permit	The proposed project may require an export permit DoF for the export of biomass, produced by encroacher tree species.
Marketing permit	The proposed project may require a marketing permit DoF for the marketing of biomass, produced by encroacher tree species.

4 IMPACT ASSESSMENT (POTENTIAL IMPACTS AND MITIGATION MEASURES)

Bush encroachment may generate some potential benefits, such as increased carbon sequestration and improved wildlife habitat, there are also negative impacts that can result from this phenomenon. Some of the latter are significant, including reduced water availability, increased carbon emissions, and reduced economic opportunities (Shikangalah & Mapani, 2020).

4.1 NEGATIVE IMPACTS OF BUSH ENCROACHMENT

Bush encroachment can alter the water cycle by increasing water consumption by trees and shrubs, reducing water infiltration into the soil, and changing the timing and amount of water that flows into streams and rivers. This can have negative impacts on downstream ecosystems and human water supplies.

Moreover, it can reduce the productivity of grasslands and savannas by shading out the grasses that livestock and wildlife depend on for food. This can negatively impact the livelihoods of farmers and pastoralists who rely on these resources for their animals.

One of the most environmental impacts of bush encroachment consists in the reduction in biodiversity by changing the composition and structure of plant communities. This can lead to a decline in the number and variety of plant and animal species that can thrive in the area.

The denser vegetation created by bush encroachment can increase the risk of wildfires, which can have devastating impacts on both natural ecosystems and human communities, as well as increase erosion by reducing soil stability and water infiltration, leading to increased runoff and sedimentation in streams and rivers.

4.2 POSITIVE IMPACTS OF BUSH THINNING

The best practice to reduce bush encroachment is bush thinning, which is recognised as one of the core priorities of Namibia's forest development policies. Clear advantages of bush-thinning can be summarised as follows:

- Employment and greater opportunities for income generation in rural areas
- Improvement of rangeland productivity
- Improvement of groundwater resources, reduction of vulnerability to climate change
- Improvement of biodiversity and ecological integrity of savannas
- Training and skills improvement
- Potential boost to the power sector, both in off-grid areas as well as in improving generation capacity over the whole grid

- Power generation from renewables – less demand on non-renewable sources, and less net CO² emission (NPC, 2009).

4.3 NEGATIVE IMPACTS OF BUSH THINNING

The type and severity of negative impacts due to bush encroachment are obviously influenced by how the bush-thinning is carried out: using heavy types of machinery, such as bulldozers, will have a very different impact from manual selective thinning. However, notes on the activities causing severe negative impacts or habitats that may have a higher probability of being affected are taken into account in any potential impact (Appendix B)

5 GENERIC ENVIRONMENTAL MANAGEMENT PLAN (GEMP)

To carry out bush clearance and a commercial value addition project, an environmental certificate is required according to the Environmental Management Act and the Forestry Act.

For projects such as bush-thinning operations in an area ranging from 125 ha to 5,000 ha, a General EMP is adequate and must be submitted to the Department of Environmental Affairs (DEA) along with the application for an ECC.

The GEMP is required to consider a range of important issues that are listed under Appendix C.

6 MONITORING

Monitoring after bush thinning is an important aspect of improving the ecological integrity of rangelands. It involves regular observation and data collection to assess the effectiveness of the thinning operation and to determine whether any further management actions are needed. The specific monitoring activities that are needed will depend on the objectives of the thinning operation and the characteristics of the forest stand. Some common monitoring activities after bush thinning include:

Vegetation cover and diversity: Monitoring changes in vegetation cover and diversity can provide valuable information about the impact of bush thinning on plant communities in rangelands. An increase in vegetation cover and diversity can indicate that bush thinning has improved habitat conditions for native plants and animals.

Soil health: Monitoring soil health can provide valuable information about the impact of bush thinning on soil quality and nutrient cycling. An improvement in soil health can indicate that bush thinning has reduced erosion and improved nutrient availability for plant growth.

Water availability: Monitoring changes in water availability can provide valuable information about the impact of bush thinning on hydrological processes in rangelands. An improvement in water availability can indicate that bush thinning has reduced water loss due to evaporation and improved infiltration and water storage in the soil.

Wildlife populations: Monitoring changes in wildlife populations can provide valuable information about the impact of bush thinning on wildlife habitat in rangelands. An increase in wildlife populations can indicate that bush thinning has improved habitat conditions for native wildlife species.

Carbon sequestration: Monitoring changes in carbon sequestration can provide valuable information about the impact of bush thinning on the carbon balance of rangelands. An increase in carbon sequestration can indicate that bush thinning has reduced greenhouse gas emissions and contributed to mitigating climate change.

By monitoring these indicators, rangeland managers can assess the effectiveness of bush thinning in improving the ecological integrity of rangelands and adjust management practices as needed to achieve their ecological goals.

Companies that work in the forest environment can demonstrate their commitment to sustainable forest management, through the Forest Stewardship Council (FSC) certification. The FSC National Forest Stewardship Standard for the Republic of Namibia, (FSC-STD-NAM-01-2019), is a certification program that ensures that forestry and forest-based products are

produced in an environmentally, socially, and economically responsible manner. To maintain certification under FSC Namibia, forest management companies must meet specific monitoring requirements (Appendix D).

7 PUBLIC PARTICIPATION PROCESS (PPP)

The public participation process refers to the process by which members of the public are given the opportunity to provide input, feedback, and opinions on decisions or actions that may affect them or their communities. This process is often used to gather input from stakeholders before making decisions that may have an impact on the community.

The public participation process typically involves a series of steps, including:

- Notification: The public is informed about the proposed decision or action, and how they can participate in the process.
- Input gathering: The public is given the opportunity to provide feedback, comments, and suggestions on the proposed decision or action. This can be done through public meetings, surveys, online forums, or other means.
- Analysis: The input gathered from the public is analyzed and considered as part of the decision-making process.
- Feedback: The public is provided with feedback on how their input was considered and how it influenced the decision.
- Implementation: The decision or action is implemented, taking into account the input and feedback received from the public.

The goal of the public participation process is to ensure that decisions and actions are informed by the input of the people who will be affected by them and to promote transparency and accountability in decision-making.

For this specific project neighbouring farms have been consulted and an acknowledgement letter for Wronin 1013 bush-thinning operations, will be signed by each owner and/or lessee (Appendix E). Details of farm Wronin 1013 neighbouring farms are shown in Table 3 below.

Table 3 - Details of Neighbouring farms

No.	Farm Name	Contact person	Contact details
1	Otjarua	Dippenaar	(062) 561 416
2	Okanjesu	Dippenaar	(062) 561 416
3	Steinhausen	H Strydom	(062) 561 419
4	Pomona	Horsthemke	(062) 561 427
5	Lausitz	Pretorius	
6	Otjarua 2	Leuschner	(062) 561 435

MEFT's decision on whether or not to issue the Environmental Clearance Certificate will be communicated to all registered I&APs, so as to comply with EMA 2007 and EIA 2012 regulations.

8 CONCLUSION AND RECOMMENDATIONS

8.1 CONCLUSION

Based on the strategic environmental assessment conducted by SAIEA, a project of magnitude of 150 ha - 5000 ha, under which farm Wronin 1013 project is classified, yields low impacts, however the endorsed generic environmental management plan should be implemented.

8.2 RECOMMENDATIONS

Before starting bush control, the owner of the farm must apply for a number of permits from the Forestry Directorate. In principle, to avoid deforestation, MEFT is required to carry out regular inspections of commercial farms producing charcoal and biochar. Such regular checks could therefore be hampered by the lack of personnel and resources in the Ministry. Therefore, it is recommended that the owner of the farm take a proactive role in maintaining an ongoing monitoring system.

These mitigation measures identified could significantly reduce negative impacts and improve the positive impact of this project if they are implemented.

Where relevant, in the event of a project being approved by MEFT, mitigation measures and other such provisions may be subject to enforcement as conditions for approval under the ECC.

Moreover, it is recommended that bush control activities are conducted in accordance with the FSC Standards, including the monitoring as per Annexure F: Monitoring Requirements in Appendix D of this report.

9 REFERENCES

- Bolan, N., Hoang, S. A., Beiyuan, J., Gupta, S., Hou, D., Karakoti, A., Joseph, S., Jung, S., Kim, K.-H., Kirkham, M. B., Kua, H. W., Kumar, M., Kwon, E. E., Ok, Y. S., Perera, V., Rinklebe, J., Shaheen, S. M., Sarkar, B., Sarmah, A. K., ... Van Zwieten, L. (2022). Multifunctional applications of biochar beyond carbon storage. *International Materials Reviews*, 67(2), 150–200. <https://doi.org/10.1080/09506608.2021.1922047>
- FSC. (2023). FSC. Forest Stewardship Council (FSC). <https://fsc.org/en>
- GIZ. (2017). *Forestry and Environmental Authorisations Process for Bush Harvesting Projects*. <https://www.agrinamibia.com.na/wp-content/uploads/2018/04/GIZ-deBushing-Bush-Harvesting-Guidelines-2017.pdf>
- meteoblue. (2023, April 21). *Simulated historical climate & weather data for 21.76°S 18.26°E*. meteoblue. https://www.meteoblue.com/it/tempo/historyclimate/climatemodelled/gobabis_namibia_3357247
- NPC. (2009). *Strategic Environmental Assessment of replication of the project "Combating bush encroachment for Namibia's development (CBEND)*.
- SAIEA. (2015). *SAIEA - Bush Thinning Strategic Environmental Assessment 2016*. <http://the-eis.com/elibrary/sites/default/files/downloads/literature/SAIEA%20-%20Bush%20Thinning%20Strategic%20Environmental%20Assessment%202016.pdf>
- Shikangalah, R., & Mapani, B. (2020). A Review of Bush Encroachment in Namibia: From a Problem to an Opportunity? *Journal of Rangeland Science*, 10(3), 251–266.

APPENDIX A – PROJECT SPECIFIC INFORMATION

Description	Specifications
Expected duration of the project (years)	5 years with chances to be prolonged in respect of new developments.
Species to be thinned	Kalahari Acacia (<i>Vachellia luederitzii</i>), Candle-pod acacia (<i>Vachellia hebeclada</i>), Blackthorn (<i>Senegalia mellifera</i> Subsp. <i>dentinens</i>) and Silver cluster-leaf (<i>Terminalia sericea</i>).
Rough density of trees to remain after thinning	125m ²
Size of area to be thinned (hectares)	5,800 ha subdivided into 17 camps with sizes from 34.6 ha to 641 ha and an average size of 251.27 ha and used following rotational plans.
Methods of bush thinning to be used	Manual and semi-mechanised methods will be used.
Equipment / machinery / chemicals to be used	Axes, chainsaws, tractor and trailer.
Number of staff to be employed	Nine contractors.
How staff will be recruited	Staff will be recruited locally.
Where staff will live	On the farm in accommodation up to standard with FSC regulations.
What arrangements will be made with staff	On a contract basis.
Description of the bush value-adding project	Combat bush encroachment, restore rangeland, increase biodiversity, improve agricultural productivity, combat crime, raise employment, raise income, solve the food security problem, promote diversified sources of income and create new market opportunities.
Products to be produced (description, quantity, etc.)	Biochar production. From the data collected it has been calculated that for a period of 5 years, the total biochar production available is 2,600 t/yr. Such results have been already calculated at 65% of the allowable use, which acts as a safety margin to avoid overharvesting/excessive harvesting and thus promote sustainable use. However, this figure is subject to amendments, subject to harvesting performance during operations.

Description	Specifications
Size of area where value-adding project will be located	Area of production (PyroNam Plant)
Methods of production to be used	Manual harvesting.
What liquid or solid waste will be generated (quantity and type)	Possible waste could be generated during harvesting activities, such as scrap wood.
Where will the waste be disposed?	Appropriate dump sites at the nearest town, i.e. Gobabis.
How much water will be used?	Water will only be used for hygienic purposes.
Where will the water come from?	70 m borehole on the farm.
What air emissions will be generated how will the product be taken to market	No air emissions will be generated during harvesting.
Who and where is the market?	PyroNam plant on the farm.

APPENDIX B – NEGATIVE IMPACTS OF BUSH THINNING AND MITIGATION MEASURES TO BE APPLIED

Negative Impacts of bush thinning	Mitigation measures
Felling of the wrong trees	<ul style="list-style-type: none"> • All bush cutters and machine operators must be trained on which trees to target. • In all bush harvesting operations, there should be supervision of cutters to prevent cutting or felling of non-target trees. • There should be more frequent inspection of harvesting operations, and stronger monitoring of the permits issued by Forestry officials. This should be complemented with inspections by Environment officials, to ensure that the conditions of the EMP, as stated in the Environmental

Negative Impacts of bush thinning	Mitigation measures
	<p>Clearance, are being met. Monitoring should include assessing the vegetation community of targeted areas before harvesting begins, and then repeating the assessment a few months later. It will become evident over time if there is a decline in the proportion of non-target species.</p>
<p>Excess harvesting of trees</p>	<ul style="list-style-type: none"> • Harvesting operations should be monitored at all times • The guideline harvesting levels for every bush-harvesting operation should be specified in the EMP
<p>Disturbance to Wildlife</p>	<ul style="list-style-type: none"> • The environmental management plan should identify and define sensitive areas in the harvesting area and exclude them from the harvesting plan. Localised areas with relatively dense concentrations of birds' nests – such as along an ephemeral river with larger trees containing nests of vultures – should be excluded from harvesting activities. An attentive farmer should be aware of these things on his or her land and take care to cause as little disturbance as possible. • Vigilance by the farmer and/or the person in charge of the harvesting teams is necessary to prevent contraventions of the law. Teams that are left on their own for extended periods are likely to get away with poaching and felling of the wrong trees, while those that are visited and checked frequently will be more readily apprehended and the wrong activities penalised and stopped. It all depends on active, involved management.
<p>Smoke and emissions from kilns</p>	<ul style="list-style-type: none"> • Kilns should be operated efficiently, so that there is very little smoke. Kiln operators should be trained in correct packing of the kilns. • Retort kilns are known to be more efficient in that they produce less smoke. This alternative charcoal-making apparatus should be considered for charcoaling operations. • Scrubbers should be installed in factory chimneys to minimise air emissions.
<p>Loss of Soil Fertility</p>	<ul style="list-style-type: none"> • Avoid heavy machinery bush clearing practices

Negative Impacts of bush thinning	Mitigation measures
Increased encroachment after bush thinning	<ul style="list-style-type: none"> • Better aftercare strategies should be put in place considering the specifications of the regrowth that occurred. Depending on the severity of the encroachment, remedy strategies may include intensive grazing by goats, use of fire to kill young seedlings, shorter rotation time for bush harvesting, or controlled use of chemicals
Non-targeted tree harvesting	<ul style="list-style-type: none"> • Proper calibration of any application equipment, so that dosages are accurately applied. • Must have strict monitoring and management during application, so that the chemicals are not just 'thrown down an aardvark hole' or sold. • Further research is necessary to calculate minimum dosages that achieve the desired effect.
Safety and health hazards for workers	<ul style="list-style-type: none"> • Apply standard occupational safety measures and practices (training, protective clothing, availability of first aid facilities)
Pollution of soil and water from bush-utilising factories	<ul style="list-style-type: none"> • The design of any bush processing plant must minimise the risk of causing pollution

APPENDIX C – GENERIC ENVIRONMENTAL MANAGEMENT PLAN (GEMP)

HEALTH AND SAFETY				
Impact description	Generic mitigation measure	Project specific additional measures	Responsibility	Indicators
HIV/AIDS infection due to risky sexual behaviour	<ul style="list-style-type: none"> Provide awareness information to workers Do not allow visitors to the project area Provide free condoms Provide recreation facilities (games/TV etc.) 	None obvious, but the proponent must consider modifications to the generic mitigation measures	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP. VERY IMPORTANT – the proponent must provide the names and contact numbers of the persons responsible	<ul style="list-style-type: none"> Evidence of a training event, Written instructions regarding visitors facilities visible
Bites / stings from snakes, scorpions and insects	<ul style="list-style-type: none"> Staff may not to catch or kill snakes or scorpions – back away. Staff must wear protective glasses, gloves, closed shoes, hard hats and overalls while working. A first aid kit, which includes an aspivenom pump, must be accessible for all staff. Accommodation/eating areas are kept clean at all times, and garbage placed in closed containers to avoid attracting vermin, insects. All staff must be informed in writing about the consequences of breaking these rules, 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP	<ul style="list-style-type: none"> Evidence of a first aid training event, Written instructions regarding non-handling of wildlife, First aid kits accessible Facilities clean protective gear being worn

HEALTH AND SAFETY				
	and it must be clear that the rules are understood			
Harm to face, eyes, skin and other parts of the body from thorns, dust, etc	<ul style="list-style-type: none"> Staff must wear protective glasses, gloves, closed shoes, hard hat and overalls while working. 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP	<ul style="list-style-type: none"> Protective gear being worn
Loss of life/injury from traffic accidents	<ul style="list-style-type: none"> Vehicles roadworthy and properly maintained Drivers comply with all Roads Ordinances, including avoiding overloading, speeding, safety belts, yellow line driving. Vehicles travel with lights on whether using tar or gravel roads. No driving at night No conveying of hitchhikers or non-project staff Instruction in road safety must be given and repeated periodically amongst all drivers. All Staff must be informed about the consequences of breaking these rules, and it must be clear that the rules are understood 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP	<ul style="list-style-type: none"> Vehicles roadworthy Zero traffic fines or accidents Evidence of drivers receiving instruction/training in road safety. All drivers licensed
Loss of life/injury from machinery accidents	<ul style="list-style-type: none"> Machines properly maintained Operators know and comply with machine instruction manuals. 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must	<ul style="list-style-type: none"> Machines well maintained Zero machine-related accidents

HEALTH AND SAFETY				
	<ul style="list-style-type: none"> • Instruction in machine operating safety must be given periodically to operators. 		ensure that all sub-contractors implement the EMP	<ul style="list-style-type: none"> • Evidence of operators receiving instruction/training in operating safety
Loss of life/injury from fire accidents	<ul style="list-style-type: none"> • Fire-fighting equipment (rubber beaters and/or backpack spray) must be accessible at key points during controlled burning. • Deploy beaters/backpack spray immediately when a fire starts. • A fire cart must be available at each workstation with water supply and pumps to deal with fire. • Regular training for site staff on fire prevention and control, especially in the dry season. • If a fire starts, notify the farm owner/manager immediately. • Open fires only permitted in a designated facility at the site camp. Campfire must be extinguished when staff go to bed or leave the camp. • No cigarette butts, matches or any other burning object may be thrown into the veld. • An area of at least 3 metres must be cleared of grass around active charcoal kilns. • Combustible refuse must be burnt in a drum. An area of 3 metres must be 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP	<ul style="list-style-type: none"> • No fire incidents • Evidence of a fire-fighting training event, • Written instructions regarding fire prevention, • Fire-fighting equipment available at base camp, on vehicles and at charcoal kilns. • Suitable drum available for combustible refuse and located in cleared area. • Suitable cleared area designated for campfire at base camp

HEALTH AND SAFETY				
	cleared of grass around such a drum. The drum may not be left unattended until the fire is extinguished, and a lid has been placed on the drum			

Disturbance of Wildlife and Livestock				
Impact description	Generic mitigation measure	Area specific additional/ alternative measures	Responsibility	Indicators
Loss of wildlife and livestock from poaching	<ul style="list-style-type: none"> The killing of wildlife and setting of snares is prohibited. Anyone caught involved in such activities will be fired immediately. Possession of a firearm or snare is prohibited. Such items will be confiscated if detected, and the offender issued a warning. All staff must be informed in writing about the consequences of breaking these rules, and it must be clear that the rules are understood 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP.	<ul style="list-style-type: none"> No snares present in the camp or veld No firearms on site No incidences of poaching
Escape of wildlife and livestock due to fences damages/ gates left open	<ul style="list-style-type: none"> Fences may not be damaged and gates may not be left open. All staff must be informed in writing about the consequences of breaking these rules, and it must be clear that the rules are understood 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP.	No wildlife or livestock escape from the property due to fences damages/ gates left open by project staff.

Disturbance of Wildlife and Livestock				
Loss of wildlife/ livestock because of fires	<ul style="list-style-type: none"> See section on fires in “Health and Safety” 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP	See section on fires in “Health and Safety”
Disturbance of sensitive animal species	<ul style="list-style-type: none"> Permanent nests of large raptors such as eagles or vultures, must be avoided by at least 100m. Some reptiles such as tortoises and pythons move very slowly when cold. Site staff, drivers, and the machine guide in particular, shall look out for any slow-moving animals and avoid causing any harm to such animals 	As above		

Damage to Plants and Rangelands (Other than those being legally harvested)				
Impact description	Generic mitigation measure	Area specific additional/ alternative measures	Responsibility	Indicators
Loss of protected tree species	<ul style="list-style-type: none"> Avoid cutting protected trees, whether large or small ones. Many of the protected species are frequently found amongst dense encroacher bush, so they are at risk of being destroyed by bush management practices e.g. harvesting machines, arboricides, and even hand labour, if not adequately supervised. Protected trees must be marked (e.g. with hazard tape) and all staff must know that marked trees are out of bounds. Trees protected under the Forest Act are listed in Annex 1. All staff must be informed in writing about the consequences of breaking this rule, and it must be clear that the rule is understood. 	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP.	<ul style="list-style-type: none"> No protected trees are cut
Disturbance of sensitive plant habitats	With the exception of prosopis and black wattle, there must be no bush/tree cutting in broadleaved woodlands and other sensitive habitats including:	As above	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-	No bush/tree cutting in such areas, with the exception of black wattle and prosopis

Damage to Plants and Rangelands (Other than those being legally harvested)				
	<ul style="list-style-type: none"> • <i>Kirkia acuminata</i> - <i>Danthoniopsis dinteri</i> woodlands in the Otavi Mountains. • <i>Spirostachys africana</i> - <i>Terminalia prunioides</i> thickets/woodlands occurring often on footslopes or plains. • <i>Olea europea</i> subsp. <i>africana</i> - <i>Euclea undulata</i> thickets. • <i>Terminalia sericea</i> - <i>Acacia fleckii</i> thickets occurring on remnants of sand dunes within the karstveld. • All plant communities within 100m of a fountain or spring. These habitats often include uncommon wetland trees. • <i>Acacia erioloba</i> - <i>Tylosema esculentum</i> habitats, and all stands of <i>Acacia erioloba</i> trees. • Palmveld (<i>Hyphaene petersiana</i>) 		contractors implement the EMP	
Ecological imbalance due to over-harvesting	<ul style="list-style-type: none"> • In order to maintain soil fertility and provide habitat and browse for wildlife and birds, the following measures shall be carried out within each and every target area: <ul style="list-style-type: none"> ○ Leave bush clumps (or 'islands') totalling at least 10% of the target area. ○ If any slopes with gradients of 5 - 12.5% are included in the target area, then the islands 	Modify this component of the EMP considerably for the specific habitat in the project area	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP	Correct level of harvesting, adequate numbers of trees, and islands, remain. Area has a "park-land" appearance after bush thinning.

Damage to Plants and Rangelands (Other than those being legally harvested)

	<p>must be increased to 20% on those slopes.</p> <ul style="list-style-type: none"> • Within areas that are cut, all large trees (over 4m tall), including dead trees, shall be retained. The only exception is if the vegetation consists entirely of encroachers that are all over 4m. In that case, leave 300 - 500 per hectare in any case. • The TE – rainfall formula includes all sizes and species, including Protected species. The result a year after cutting should be grasslands with many large trees providing shade in a park-like landscape, with some islands of bush as mentioned above. • In addition to small bush islands, also leave at least one large area exceeding 1 ha as a representative sample of the original habitat. • All ‘islands’ envisaged above should include browser species of bush, Protected species of trees, and even encroacher species as they also have benefits for soil fertility. Browser species are listed in Annex 3. • Seek to create an environment with a matrix of grass, large trees and bush 			
--	---	--	--	--

Soil Erosion				
Impact description	Generic mitigation measure	Area specific additional/ alternative measures	Responsibility	Indicators
Loss of topsoil as a result of bush thinning.	<ul style="list-style-type: none"> No bush cutting permitted on slopes steeper than 12.5% gradient (i.e. 1 in 8). _Bush cutting is also not recommended on slopes of 5 - 12.5% (i.e. between 1 in 20 and 1 in 8). On all slopes of 5 – 12.5%, machinery should move approximately along the contours (not up and down slopes). If such slopes are significantly bush encroached it is recommended that they be set aside as part of the 50% of bush encroached areas per farm that will not be cut even in the medium to long term. Sandy and silty soils are prone to erosion and loss of soil fertility following bush cutting. Where <i>Terminalia sericea</i> is dominant it is an indicator of deep sand. All sites where this species is dominant should be harvested at the TE – rainfall formula for woodland i.e. TE per hectare = 3 x rainfall 	Modify this component of the EMP for the specific conditions on the site.	The person/company that has the permit from DoF is responsible for implementing. S/he must ensure that all sub-contractors implement the EMP.	<ul style="list-style-type: none"> No bush thinning in steep areas Bush cutting by machines must be done along the contour
Erosion or destabilisation of river banks as a	<ul style="list-style-type: none"> No bush cutting permitted within 100 metres of a watercourse (see Forest Act). This includes small watercourses 	Modify this component of the EMP considerably if	As above	Apart from the exceptions of black wattle and Prosopis, no tree cutting in riverbeds,

Soil Erosion				
result of bush thinning	<ul style="list-style-type: none"> and 'blind valleys' found in karst areas, and also springs. Two exceptions only are permissible <ul style="list-style-type: none"> where bush has encroached into ephemeral (seasonal) pans – it is acceptable to clear the bush within the floor of the pan but not around the outside margins. Prosopis and black wattle may be removed from within a watercourse and from the riverbank 	<p>the project envisages removing Prosopis or black wattle.</p> <p>Also modify the EMP if the land has no watercourses, or if they are significantly different to those described in column 2</p>		riverbanks or within 100 metres thereof

Pollution of Groundwater				
Impact description	Generic mitigation measure	Area specific additional/ alternative measures	Responsibility	Indicators
Pollution of soil and water from waste products (e.g. tars, ash, brine) generated in bush-to-energy plants or factories for wood products	<ul style="list-style-type: none"> Where appropriate, the waste should be reused. E.g. i) ash should be redistributed in the harvested areas so that nutrients are returned to the soil. ii) Some of the tars produced in a wood gasifier, might be re-useable as fuel in the plant. Where re-use is not feasible, appropriate disposal must be 	Modify this component of the EMP for the specific conditions and wastes generated on site.	The person/company that has the Environmental Clearance is responsible for implementing. Composition of effluents should be specified by the proponent, and	<ul style="list-style-type: none"> A sporadic sampling of local soil and water, to test for contaminants

Pollution of Groundwater				
	<p>considered e.g. in a site equipped for hazardous waste disposal, with measures to prevent seepage into soil and groundwater.</p> <ul style="list-style-type: none"> • Brine and contaminated water should be collected and stored in sealed evaporation ponds. The residue should be regularly scraped up and disposed of in an appropriate site 		<p>measures for safe disposal put in place. Water quality inspectors from MAWF and/or MoHSS need to exercise control over disposal of effluents</p>	
<p>Small-scale, local pollution patches caused by spillages and servicing of machinery used in bush harvesting operations. (e.g. fuels, oils, greases)</p>	<p>Regular maintenance and servicing of vehicles and machinery, to prevent breakdowns and the need for on-site repairs</p>	<p>Modify this component of the EMP for the specific conditions and wastes generated on site</p>	<p>The person/company that has the Environmental Clearance is responsible for implementing</p>	<ul style="list-style-type: none"> • A sporadic sampling of local soil and water, to test for contaminants

Pollution of Air				
Impact description	Generic mitigation measure	Area specific additional/ alternative measures	Responsibility	Indicators
<p>Smoke given off from charcoal kilns can, under certain conditions, accumulate to harmful levels.</p>	<p>Training and supervision of charcoal producers can improve the efficiency of the process, so less smoke is produced. Retort kilns, operated efficiently, produce almost no smoke</p>	<p>Modify / adapt where appropriate</p>	<p>Charcoal producer</p>	<p>Complaints from neighbours / local people</p>

Pollution of Air				
Wood utilisation factories may generate air pollution e.g. smoke, soot.	Air emission control measures e.g. scrubbers installed in chimneys	Modify / adapt where appropriate	Proponent is responsible for minimising air emissions	Complaints from neighbours / local people

Prevention of Regrowth through Aftercare				
Impact description	Generic mitigation measure	Area specific additional/ alternative measures	Responsibility	Indicators
The original encroacher species, or more aggressive colonisers, will quickly establish	Preventing bush regrowth following harvesting can be achieved through: <ul style="list-style-type: none"> • Hand application of arboricides • Mechanical removal of problematic single plants • Stem burning 	There are no formulas or recipes for ideal aftercare – trial and error learning from neighbours, is essential, as is regular	Farmer/landowner/land custodian	Thinned areas remain at the required tree density, or within defined limits of acceptable change

Prevention of Regrowth through Aftercare				
themselves in the thinned-out areas	<ul style="list-style-type: none"> Judicious use of fire Intensive browsing by goats or antelope, especially when regrown plants are still small 	and meticulous monitoring		
Burning and/or stem burning generates air pollution e.g. smoke, soot, and fires may “get away”, threatening other rangeland and neighbours	<ul style="list-style-type: none"> No burning when the day temperature exceeds 25 °C or wind exceeds 20 kph or in combination thereof during the months of April to July. Notify neighbours a day or two before the controlled burning. Remove livestock from the area prior to burning. Ensure there are escape routes for larger forms of wildlife so that they do not succumb to the fire. Avoid burning in areas where there are active nests of endangered bird species (e.g. vultures, eagles) – wait until chicks have fledged. Fire-fighting equipment (fire-cart, rubber beaters and/or backpack spray) must be accessible and in working condition. Prepare firebreaks that are at least 3 metres wide, around the area on 3 sides, prior to the controlled burn, or define an area bordered by roads which are wide enough to prevent a fire “jumping”. 	Fires need careful planning. Each burn must take into account the weather, available fuel, the purpose of the fire (hot or cool fire?), neighbour rights and needs	Farmer/landowner/land custodian	Fire is fit for purpose and it is contained as planned

Prevention of Regrowth through Aftercare				
	<ul style="list-style-type: none"> Monitor the area after the burn is over, in case a smouldering coal or dung is blown into an unburnt area 			
Illness to workers through exposure to chemicals	<ul style="list-style-type: none"> Staff must wear the necessary protective gear while working with chemicals. Staff must know and comply with instruction manuals for the particular chemical. Instruction in chemical application must be given periodically to staff 	None obvious	Farmer/landowner/land custodian	No injury to workers

APPENDIX D – FSC MONITORING REQUIREMENTS

FSC is an independent, not for profit, non-governmental organisation dedicated to the promotion of responsible forest management worldwide. Founded in 1993, its mission is to promote environmentally appropriate, socially beneficial and economically viable management of the world's forests. FSC operates on the ground through a network of Regional and National Offices and focal points in more than 40 countries.

FSC sets forest management standards based on 10 Principles and Criteria for responsible forest management. These Principles and Criteria are valid worldwide which filter down into national or regional forest management standards, or International Generic Indicators (IGIs), helping stakeholders and certification bodies to interpret the Principles and Criteria for a specific region or country and to bring global consistency to forest management standards.

In 2019 the first Namibian FSC standard was approved. The National Forest Management Standard (NFSS) for the Republic of Namibia is based on Version 5 of the Forest Stewardship Council (FSC) Principles and Criteria (P&C) and have been in effect since April 2020 (FSC, 2019).

The FSC Principles & Criteria describe the essential elements or rules of environmentally appropriate, socially, beneficial and economically viable forest management. These are listed as follows (FSC, 2020):

- **Compliance with laws** - Forest management shall respect all applicable laws of the country in which they occur, and international treaties and agreements to which the country is a signatory and comply with all FSC Principles and Criteria.
- **Workers' rights and employment conditions** - Long-term tenure and use rights to the land and forest resources shall be clearly defined, documented and legally established.
- **Indigenous peoples' rights** - The legal and customary rights of indigenous peoples to own, use and manage their lands, territories and resources shall be recognised and respected.
- **Community relations** - Forest management operations shall maintain or enhance the long-term social and economic well-being of forest workers and local communities.
- **Benefits from the forest** - Forest management operations shall encourage the efficient use of the forest's multiple products and services to ensure economic viability and a wide range of environmental and social benefits.
- **Environmental values and impacts** - Forest management shall maintain, conserve and restore ecosystem services and environmental values of the forest and shall avoid, repair or mitigate negative environmental impacts.
- **Management planning** - Forest manager shall have a management plan consistent with its policies and objectives and proportionate to scale, intensity and risks of its management activities. The management plan shall be implemented and kept up to date based on monitoring information to promote adaptive management. The associated planning and

procedural documentation shall be sufficient to guide staff, inform affected stakeholders and interested stakeholders and justify management decisions.

- **Monitoring and assessment** - The forest managers shall demonstrate that progress towards achieving the management objectives, the impacts of management activities and the condition of the forest, are monitored and evaluated proportionate to the scale, intensity and risk of management activities, to implement adaptive management.
- **High conservation values** - The forest manager shall maintain and/or enhance the High Conservation Values of the forest through applying the precautionary approach.

Implementation of management activities – Management activities conducted shall be selected and implemented with the manager’s economic, environmental and social policies and objectives and in compliance with the FSC Principles and Criteria collectively.

FSC’s criteria must be complied in order to obtain its certification, moreover, it is fundamental to maintain high standards of sustainability to be able to withhold it. Following the indications of FSC’s Annexure F on monitoring requirements, is the practice to follow to retain the certificate

FSC Annexure F: Monitoring Requirements	
Aspects in italic should be made publicly available	
No.	Aspect
1	<i>Density Data Model* calculations</i>
2	<i>Plan versus Actual volume of products produced</i>
3	The use of local processing and local services
4	Evidence of illegal harvesting (protected trees and oversized trees)
5	Resolution of disputes* and grievances with all stakeholders, inclusive of sexual and gender discrimination
6	Training carried out in accordance with Annexure B, Effectiveness of training
7	<i>Fair employment conditions</i>
8	<i>Housing, in accordance with Annexure D</i>
9	<i>Periodic potable water testing</i>
10	Programs and activities regarding occupational health and safety
11	Safe working conditions, accident rates
12	Timeous payment of wages
13	Deductions as per the Labour Act
14	<i>Identification and Engagement of Stakeholders, Indigenous Peoples Groups and Local Communities*</i>
15	Full implementation of the terms in binding agreements*
16	Identification and eradication of Invasive alien species (e.g. <i>Prosopis spp.</i> and <i>Optunia spp.</i>)
17	<i>Silvicultural practices* are implemented that are ecologically appropriate, in relation to the management objectives</i>

18	Use of fertilisers (demonstrating that their use is more ecologically beneficial than non-use)
19	<i>Integrated Pest Management Plan – inclusive of chemical use, monitoring of after-care</i>
20	Impacts from Natural Hazards (i.e. Fire and Drought)
21	<i>Impacts from Fires resulting from Management Activities</i>
22	The impacts of site disturbing activities on soil structure – erosion and compaction
23	<i>The impacts of harvesting and extraction of timber on environmental values</i>
24	Environmentally appropriate disposal of waste materials
25	<i>Protection* of sites of special cultural, ecological, economic, religious or spiritual significance</i>
26	<i>Identification and Management of High Conservation Values*</i>
27	<i>Changes in Environmental values* and ecosystem functions* after Management Activities</i>
28	<i>Protection of Rare and threatened species*</i>
29	<i>Poaching Activities</i>
30	<i>Conservation of Sensitive Ecosystems*</i>
31	Ecological restoration* of the MU
32	Conversion of natural forest* to non-forest*

APPENDIX E – ACKNOWLEDGEMENT LETTERS

Dear Sir or Madam,

Date: _____

We hereby inform you that we will be conducting bush thinning operations on the farm
_____ to produce:

- Wood
- Wood chips
- Charcoal
- Biochar

All the necessary legislative requirements shall be followed and adhered to.

Could you please provide us with your information and sign this form to acknowledge the receipt of our
notification:

Owner or Lessee Name & surname: _____

Farm: _____

Contact Information: _____

Signature: _____